


300Mbps High Power Wireless
USB Adapter



For Mac OS X

1 Connect to a Computer

Install the antennas and connect the adapter to your computer using the USB cable provided.



2 Install Driver and Utility

 a. Download the driver and utility from this product's Support page at www.tp-link.com.

Note

If your computer has a CD drive, you can also run the included CD to install the driver and utility.


- b. Unzip the downloaded folder and run the Install.pkg.
- c. Follow the instructions to complete the installation.



3 Join a Wireless Network

Option 1: Via TP-Link Utility

- a. Click (TP-Link Utility) on the menu
- b. Select your Wi-Fi network and enter the Wi-Fi password when prompted.




Option 2: Via Wi-Fi Protected Setup (WPS)

- a. Press the WPS button on your router.
- b. Within 2 minutes, press and hold the WPS button on the adapter until the WPS progress window appears.



c. When the "WPS Protocol Finished!" message appears, click **OK**.

For Windows



2 Install Driver and WPS Tool

a. Insert the CD and run the Autorun.exe.

You can also download the driver from this product's Support page at www.tp-link.com.

b. Select TL-WN8200ND and follow the steps to install the driver and WPS Tool.

Note:

If you can't install the driver successfully, disable the antivirus software and firewall, then try again.



3 Join a Wireless Network


Option 1: Via Windows Wireless Utility

- a. Click the network icon (** or ****) on the taskbar.
- b. Select your Wi-Fi network, click Connect and enter the password when prompted.



Option 2: Via WPS Tool

- a. Press the WPS button on your router.
- b. Within 2 minutes, press and hold the WPS button on the adapter until WPS Tool opens.



c. When the "Success!" message appears, your computer is connected to Wi-Fi.



For detailed instructions, please refer to the User Manual from this product's Support page at www.tp-link.com.



For technical support and other information, or simply scan the QR code.





