NETGEAR® BUSINESS

NETGEAR, Inc 408.907.8000 350 E. Plumeria Drive San Jose, California 95134

Tel: 866-480-2112 Option 2 www.netgear.com/business

Follow us on:

in Linkedin.com/company/netgear

f Facebook.com/NetgearBiz/

NETGEAR® Storage Product Catalog Solutions for all businesses, designed with simplicity in mind without big IT cost. Volume 19 - 1

NETGEAR, the NETGEAR logo, NETGEAR Insight, Nighthawk, Nighthawk Pro Gaming, Orbi, Arlo, ProSAFE, ProSUPPORT, ReadyCLOUD, ReadyNAS, ReadyNAS Vault, Virtually Anywhere, Business Central, XRAID and XRAID2 are trademarks and/or registered trademarks of NETGEAR, Inc. and/or its subsidiaries in the United States and/or other countries. Other brand names mentioned herein are for identification purposes only and may be trademarks of their respective holder(s). Information is subject to change without notice. © 2019 NETGEAR, Inc. All rights reserved.



TABLE OF CONTENTS

INTRODUCTION	
Network Solutions	Ę
STORAGE	
Storage Introduction ReadyNAS Desktop ReadyNAS Rackmount Midmarket Solutions - Backup to Disk Midmarket Solutions - Virtualization	11 13 16 18
SUPPORT	
ProSUPPORT for Business	20

NETGEAR BRINGS THE BEST OF I.T. TO THE CONNECTED OFFICE



NETGEAR STORAGE SYSTEMS


Experience the highest performing and secure storage

Now faster than ever before, the new ReadyNAS® solutions offer businesses outstanding performance, versatility and scalability with five levels of unrivaled data protection, 10-Gigabit Fiber or Copper Ethernet network interface on select models, and expandable storage capacity, desktop or rackmount.




NETWORK SOLUTION FOR SMALL OFFICE AND HOME OFFICE (SOHO) 1-5 USERS

Connection Setup



WIRE FREE SOLUTION ORBI PRO, 5-80 USERS


Connection Setup





WIRED SOLUTION INSIGHT, 5-150 USERS


Connection Setup





NETWORK SOLUTION FOR A GROWING MID-SIZE BUSINESS, 75-250 USERS


Connection Setup





NETWORK SOLUTION FOR AN ENTERPRISE BUSINESS, 250-500+ USERS

Connection Setup



GET THE MOST SECURE NETWORK STORAGE AND BACKUP WITH READYNAS

NETGEAR* This is a data based economy. Most companies utilize data for different aspects of **ReadyNAS*** their business. Without an exception, data backup is part of any operational plan and every business continuity plan. If you are looking for a data backup solution,

ReadyNAS is the leader in the industry for SMBs - limited budget, but highly scalable with enterprise class reliability and security.

Your data. Your Business. Protected.

Most secure network storage & back up

- Hybrid backup (on premises + Cloud) with automatic data backup to ReadyNAS and to public Cloud Amazon AWS Cloud, Dropbox, Google Drive, OneDrive, Azure
- Disaster Recovery Automatic and incremental, block level backup to a secondary ReadyNAS
- Guard against ransomware based on Snapshot technology
- 5 levels of data protection against mechanical, physical, virus, malware, human, full system
- Better data robustness, repair, data protection, full journaling for data repair

Highest performance & access speed

- Fast access to data, more simultaneous users, faster encryption processing for higher security, higher workload virtualization thanks to latest and fastest Intel processor technology
- 10 GbE connectivity is more than half of the ReadyNAS models
- ReadyNAS software uses Linux 4 kernel that offers security enhancements & better performance
- Plex streaming Multi-core processor with Full HD transcoding (ideal use for 200 and 420 desktop series)



Cloud backup to Amazon, Dropbox, OneDrive, Google Drive, Azure



Monitor and manage your ReadyNAS from the palm of your hand through the NETGEAR Insight app (all except ReadyNAS 100 series)



Best protection against ransomware with Industry's only block level hourly configurable Snapshot technology



High-end desktop ReadyNAS and rackmount NAS are optimized for virtualized environments with VMWare



Just pick the one that's best for you!

DESKTOP









SERIES NUMBER	210 SERIES	420 SERIES	520 SERIES	620 SERIES
Description	Media Storage Hub for the Home Office	High-performance Business Storage	Premium Performance Business Storage	Ultimate Performance Business Storage
Typical Deployment	SOHO	SMB	Medium offices, creative professionals	Large offices, creative professionals
Number of users	Up to 12	Up to 40	Up to 80	Up to 120
Number of bays	2 or 4 Bays	2, 4, 6 or 8 Bays	4, 6 or 8 Bays	6 or 8 Bays
Connectivity	1Gb	1Gb	10Gb	10 Gb

RACKMOUNT

remercant.	CELTICE TICE TO SELTION	
2000 SERIES	3000 SERIES	4000 SERIES
High-performance Rackmount storage	Premium performance Rackmount storage	Ultimate performance Rackmount Storage
Small office	Medium Office	Large Office
Up to 40	Up to 120	Up to 160
4 or 12 Bays	4 or 12 Bay	12 or 60 Bays
1Gb	1Gb	10Gb (Copper or Fiber)
Web management for all models and/or NETGEAR Insight app management for OS 6.6 and above	Web management for all models and/or NETGEAR Insight app management for OS 6.6 and above	Web management for all models and/or NETGEAR Insight app management for OS 6.6 and above
	2000 SERIES High-performance Rackmount storage Small office Up to 40 4 or 12 Bays 1Gb Web management for all models and/or NETGEAR Insight app	2000 SERIES High-performance Rackmount storage Premium performance Rackmount storage Small office Medium Office Up to 40 Up to 120 4 or 12 Bays 1Gb Ub to 120 Web management for all models and/or NETGEAR Insight app and/or NETGEAR Insight app

ReadyNAS

Desktop









	ReadyNAS 212	ReadyNAS 214	ReadyNAS 422	ReadyNAS 424
Product Description	2-Bay Desktop	4-Bay Desktop	2-Bay Desktop	4-Bay Desktop
Internal Capacity	20TB	40TB	20TB	40TB
File Protocols	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV
Block Protocols	iSCSI	iSCSI	iSCSI	iSCSI
File System	BTRFS	BTRFS	BTRFS	BTRFS
Supported Drive Types	Desktop SATA	Desktop	Desktop/Enterprise SATA	Desktop/Enterprise SATA
Gigabit Ethernet Ports	2	2	2	2
10G Ethernet Port	0	0	0	0
Supports EDA500 Expansion Chassis	No	No		
Reliability Features	Hot Swappable Disks Network Failover	Hot Swappable Disks Network Failover	Hot Swappable Disks Network Failover	Hot Swappable Disks Network Failover
CPU	Marvell Annapurna AL212 Quad Core 1.4GHz High Performance ARM Cortex A15	Marvell Annapurna AL212 Quad Core 1.4GHz High Performance ARM Cortex A15	Intel Atom C3338 Dual Core	Intel Atom C3338 Dual Core
Memory	2GB	2GB	2GB DDR4	2GB DDR4
RAID Level Supported	RAID 0,1	RAID 0,1,5,6,10	RAID 0,1	RAID 0,1,5,6,10
Auto Volume Expansion	XRAID2	XRAID2	XRAID2	XRAID2
Unique Features Onboard Backup Options	Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN 5-levels of data protection XRAID and/or Flex-RAID (model dependent) Protection of data with performance-neutral snapshots Protection against silent data corruption ("Bitrot") Real-time anti-virus Integrated, web-managed replication to the cloud ReadyDR - Disaster Recovery Solution Incremental backup to another ReadyNAS Easy recovery of full data set ReadyCLOUD user directory backup	Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN 5-levels of data protection XRAID and/or Flex-RAID (model dependent) Protection of data with performance-neutral snapshots Protection against silent data corruption ("Bitrot") Real-time anti-virus Integrated, web-managed replication to the cloud ReadyDR - Disaster Recovery Solution Incremental backup to another ReadyNAS Easy recovery of full data set ReadyCLOUD user directory backup	Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN 5-levels of data protection XRAID and/or Flex-RAID (model dependent) Protection of data with performance-neutral snapshots Protection against silent data corruption ("Bitrot") Real-time anti-virus Integrated, web-managed replication to the cloud ReadyDR - Disaster Recovery Solution Incremental backup to another ReadyNAS Easy recovery of full data set ReadyCLOUD user directory backup	Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN S-levels of data protection XRAID and/or Flex-RAID (model dependent) Protection of data with performance-neutral snapshots Protection against silent data corruptior ("Bitrot") Real-time anti-virus Integrated, web-managed replication to the cloud ReadyDR - Disaster Recovery Solution Incremental backup to another ReadyNAS Easy recovery of full data sett ReadyCLOUD user directory backup
Onboard Backup Options	Remote & Local Time Machine	Remote & Local Time Machine	Remote & Local Time Machine	Remote & Local Time Machine
/Mware Ready	No	No	Yes	Yes
ReadyDR for Disaster Recovery	No	No	Yes	Yes
Warranty (System)	3 year standard warranty	3 year standard warranty	5 year standard warranty	5 year standard warranty
Optimal Number of User Support	1 ~ 20	1~20	1~40	1~40
System SKUs	RN21200 RN21221D RN2122D	RN21400 RN2121D RN21442D	RN42200 RN422D2 RN422D4 RN422D6 RN422E4 RN422E6	RN42400 RN424D2 RN424D4 RN424D6 RN424E4 RN424E6
ProSUPPORT Maintenance PKGS				
OnCall 24x7 1-year OnCall 24x7 3-year OnCall 24x7 5-year	PMB0312 PMB0332 PMB0352	PMB0312 PMB0332 PMB0352	PMB0312 PMB0332 PMB0352	PMB0312 PMB0332 PMB0352

ReadyNAS

Desktop









14

	ReadyNAS 426	ReadyNAS 428	ReadyNAS 524X	ReadyNAS 526X
Product Description	6-Bay Desktop	8-Bay Desktop	8-Bay Desktop	6-Bay Desktop
nternal Capacity	60 TB	80 TB	40TB	60TB
File Protocols	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV
Block Protocols	iSCSI	iSCSI	iSCSI	iSCSI
File System	BTRFS	BTRFS	BTRFS	BTRFS
Supported Drive Types	Desktop/Enterprise SATA	Desktop/Enterprise SATA	Desktop/Enterprise SATA	Desktop/Enterprise SATA
Gigabit Ethernet Ports	2	2	0	0
1G Ethernet Port			1	
10G Ethernet Port	0	0	1	2 (10GBaseT)
Supports EDA500 Expansion Chassis			Yes. Not Recommended for High Performance Applications	
Reliability Features	bility Features Hot Swappable Disks Network Failover Hot Swappable Disks Network Failover ECC Memory		Hot Swappable Disks Network Failover ECC Memory	
CPU	Intel Atom C3538 Quad Core	Intel Atom C3538 Quad Core	Intel Server Processor D-1508 Dual Core 2.2GHz	Intel Server Processor D-1508 Dual Core 2.2GHz
Memory	4GB DDR4	4GB DDR4	4GB DDR4 with ECC	4GB DDR4 with ECC
RAID Level Supported	RAID 0,1,5,6,10, 50, 60	RAID 0,1,5,6,10, 50, 60	RAID 0,1,5,6,10	RAID 0,1,5,6,10, 50, 60
Auto Volume Expansion	X-RAID2	X-RAID2	XRAID2	XRAID2
Unique Features	Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN	Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN	Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN	Most versatile and secure remote access: - ReadyCLOUD Collaboration, Sync & Backup - ReadyCLOUD automated VPN - ReadyNAS Backup
	Levels of data protection: XRAID Hourly protection of data with performance-neutral snapshots Real-Time Antivirus Protection against silent data corruption ("Bitrot") Integrated, web-managed replication for disaster recovery or ReadyNAS Vault / backup to the cloud	Levels of data protection: XRAID Hourly protection of data with performance-neutral snapshots Real-Time Antivirus Protection against silent data corruption ("Bitrot") Integrated, web-managed replication for disaster recovery or ReadyNAS Vault / backup to the cloud	S-levels of data protection XRAID and/or Flex-RAID (model dependent) Protection of data with performance- neutral snapshots Protection against silent data corruption ("Bitrot") Real-time anti-virus Integrated, web-managed replication to the cloud	5-levels of data protection - XRAID and/or Flex-RAID (model dependent) - Protection of data with performance- neutral snapshots - Protection against silent data corruption ("Bitrot") - Real-time anti-virus - Integrated, web-managed replication to the cloud
	ReadyDR - Disaster Recovery Solution · Incremental backup to another ReadyNAS · Easy recovery of full data set	ReadyDR - Disaster Recovery Solution - Incremental backup to another ReadyNAS - Easy recovery of full data set	ReadyDR - Disaster Recovery Solution - Incremental backup to another ReadyNAS - Easy recovery of full data set	ReadyDR - Disaster Recovery Solution · Incremental backup to another ReadyNAS · Easy recovery of full data set
Onboard Backup Options	ReadyCLOUD user directory backup Remote & Local Time Machine	ReadyCLOUD user directory backup Remote & Local Time Machine	ReadyCLOUD user directory backup Remote & Local Time Machine	ReadyCLOUD user directory backup Remote & Local Time Machine
/Mware Ready	Yes	Yes	Yes	Yes
ReadyDR for Disaster Recovery	Yes	Yes	Yes	Yes
Warranty (System)	5 year standard warranty	5 year standard warranty	5 year standard warranty	5 year standard warranty
Optimal Number of User Support	1~40	1~40	20-80	20-80
System SKUs	RN42600 RN426D2 RN426D4 RN426D6 RN426E4 RN426E6	RN42800 RN428E4 RN428E6	RN524X00 RN524XD2 RN524XD4 RN524XD6 RN524XE3 RN524XE3 RN524XE4 RN524XE6	RN526X00 RN526XD3 RN526XD4 RN526XD6 RN526XE3 RN526XE4 RN526XE4
ProSUPPORT Maintenance PKGS OnCall 24x7 1-year OnCall 24x7 3-year OnCall 24x7 5-year	PMB0313 PMB0333 PMB0353	PMB0313 PMB0333 PMB0353	PMB0313 PMB0333 PMB0353	PMB0313 PMB0333 PMB0353

^{*}RAID 50 and RAID 60 are available with OS6.7 and above

ReadyNAS

Desktop







	ReadyNAS 528X	ReadyNAS 626X	ReadyNAS 628X
Product Description	8-Bay Desktop	6-Bay Desktop	8-Bay Desktop
Internal Capacity	80TB	60TB	80TB
File Protocols	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV
Block Protocols	iSCSI	iSCSI	iSCSI
File System	BTRFS	BTRFS	BTRFS
Supported Drive Types	Desktop/Enterprise SATA	Desktop/Enterprise SATA	Desktop/Enterprise SATA
Gigabit Ethernet Ports	0	2	2
10G Ethernet Port	2	2	2
Supports EDA500 Expansion Chassis	Yes. Not Recommended for High Performance Applications	Yes. Not Recommended for High Performance Applications	Yes. Not Recommended for High Performance Applications
Reliability Features	Hot Swappable Disks Network Failover ECC Memory	Hot Swappable Disks Network Failover ECC Memory	Hot Swappable Disks Network Failover ECC Memory
CPU	Intel Server Processor D-1508 Dual Core 2.2GHz	Intel Xeon Server Processor D-1521 Quad Core 2.4GHz	Intel Xeon Server Processor D-1521 Quad Core 2.4GHz
Memory	4GB DDR4 with ECC	8GByte DDR4 with ECC	8GByte DDR4 with ECC
RAID Level Supported	RAID 0,1,5,6,10, 50, 60	RAID 0,1,5,6,10, 50, 60	RAID 0,1,5,6,10, 50, 60
Auto Volume Expansion	XRAID2	XRAID2	XRAID2
Unique Features Onboard Backup Options	Most versatile and secure remote access: - ReadyCLOUD Collaboration, Sync & Backup - ReadyCLOUD automated VPN - ReadyNAS Backup 5-levels of data protection - XRAID and/or Flex-RAID (model dependent) - Protection of data with performance- neutral snapshots - Protection against silent data corruption ("Bitrot") - Real-time anti-virus - Integrated, web-managed replication to the cloud ReadyDR - Disaster Recovery Solution - Incremental backup to another ReadyNAS - Easy recovery of full data set ReadyCLOUD user directory backup	Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN ReadyNAS Backup 5-levels of data protection XRAID and/or Flex-RAID (model dependent) Protection of data with performance- neutral snapshots Protection against silent data corruption ("Bitrot") Real-time anti-virus Integrated, web-managed replication to the cloud ReadyDR - Disaster Recovery Solution Incremental backup to another ReadyNAS Easy recovery of full data set ReadyCLOUD user directory backup	Most versatile and secure remote access: - ReadyCLOUD Collaboration, Sync & Backup - ReadyNAS Backup - ReadyNAS Backup 5-levels of data protection - XRAID and/or Flex-RAID (model dependent) - Protection of data with performance- neutral snapshots - Protection against silent data corruption ("Bitrot") - Real-time anti-virus - Integrated, web-managed replication to the cloud ReadyDR - Disaster Recovery Solution - Incremental backup to another ReadyNAS - Easy recovery of full data set ReadyCLOUD user directory backup
	Remote & Local Time Machine	Remote & Local Time Machine	Remote & Local Time Machine
VMware Ready	Yes	Yes	Yes
ReadyDR for Disaster Recovery Warranty (System)	Yes Superstandard warranty	Yes Fugge standard warranty	Yes 5 year standard warranty
Optimal Number of	5 year standard warranty 20-80	5 year standard warranty 40-120	40-120
User Support	20-00	40-120	40-120
System SKUs	RN528X00 RN528XE3 RN528XE4 RN528XE6	RN626X00 RN626XE3 RN626XE4 RN626XE6	RN628X00 RN628XE3 RN628XE4 RN628XE6
ProSUPPORT Maintenance PKGS OnCall 24x7 1-year OnCall 24x7 3-year OnCall 24x7 5-year	PMB0313 PMB0333 PMB0353	PMB0313 PMB0333 PMB0353	PMB0313 PMB0333 PMB0353

ReadyNAS

Rackmount


	in a la l			Control Contro
	ReadyNAS 2304	ReadyNAS 2312	ReadyNAS 3138	ReadyNAS 3312
Product Description	1U Rackmount, 4-Bays	1U Rackmount, 12-Bays	1U Rackmount, 4-Bays	2U Rackmount, 12-Bays
Total Solution Capacity Internal/with Expansion	40TB / N.A.	120TB/N.A.	40TB/N.A.	120TB/600TB
File Protocols	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV	NFS, CIF/SMB, AFP, HTTP(S), FTP(S), WebDAV
Block Protocols	iSCSI	iSCSI	iSCSI	iSCSI
File System	BTRFS	BTRFS	BTRFS	BTRFS
Supported HDD Types	Desktop/Enterprise SATA	Desktop/Enterprise SATA	Desktop/Enterprise SATA	Enterprise SATA
Gigabit Ethernet Ports	2	4	4	4
10G Ethernet Port	0	0	0	0
Reliability Features	Hot Swappable Disks Network Failover	Hot Swappable Disks Network Failover	Hot Swappable Disks Network Failover	Hot Swappable Disks Network Failover
CPU	Intel Celeron dual core 2.0GHz processor	Intel Atom Quad Core C3538 2.1GHz with QuickAssist	Intel AtomC2558 Dual Core 2.4GHz Quad Core Processor	Intel Xeon E3-1225v5 3.3GHz Quad Core
Memory	2GB DDR3	2GB DDR4	4GB DDR3 ECC	8GB DDR4 ECC
Expandable Memory	0	No	0	64GByte DDR4
RAID Level Supported	RAID 0,1,5,6,10 and XRAID2	RAID 0,1,5,6,10,50,60	RAID 0,1,5,6,10	RAID 0,1,5,6,10,50,60*
Auto Volume Expansion	XRAID3	XRAID2	XRAID2	XRAID2
Onboard Backup Options	XRAID Hourly protection of data with performance-neutral snapshots Protection against silent data corruption("Bitrot") Real-time anti-virus Integrated, web-managed replication for disaster recovery and backup to the cloud ReadyDR for disaster recovery Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN Performance Storage for backup ReadyCLOUD user directory backup	X RAID Hourly protection of data with performance-neutral snapshots Protection against silent data corruption("Bitrot") Real-time anti-virus Integrated, web-managed replication for disaster recovery and backup to the cloud ReadyDR for disaster recovery Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN Performance Storage for backup ReadyCLOUD user directory backup	XRAID and/or Flex-RAID (model dependent) Protection of data with performance-neutral snapshots Protection against silent data corruption ("Bitrot") Real-time anti-virus Integrated, web-managed replication to the cloud ReadyDR for disaster recovery Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN High performance Storage for backup Collaboration for work group ReadyCLOUD user directory backup	XRAID and/or Flex-RAID (model dependent) Protection of data with performance-neutral snapshots Protection against silent data corruptio ("Bitrot") Real-time anti-virus Integrated, web-managed replication to the cloud ReadyDR for disaster recovery Most versatile and secure remote access: ReadyCLOUD Collaboration, Sync & Backup ReadyCLOUD automated VPN Superior performance Large internal capacity Optional Highspeed SAS for expansion chassis Storage for backup Collaboration for work group ReadyCLOUD user directory backup
	Remote & Local Time Machine	Remote & Local Time Machine	Remote & Local Time Machine	Remote & Local Time Machine
VMware Ready	Yes	Yes	Yes	Yes
Warranty (System)	5 year warranty with NBD HW replacement	5 year warranty with NBD HW replacement	5 year warranty with NBD HW replacement	5 year warranty with NBD HW replacemen
Optimal Number of User Support	1-30	40-80 Users	1-40	20-120
System SKUs	RR230400 RR2304E4 RR2304E6	RR2312 RR2312G4 RR2312G6 RR2312H8 RR231200	RN3138 RN31842D RN31842E RN31843D RN31843E RN31844E RN31342E	RR331200 RR3312G2 RR3312G3 RR3312G4 RR3312G6
Support for: EDA 4000 - 24-Bay/EDA 2000 - 12-Bay Expansion	No	No	No	Yes
ProSUPPORT Maintenance PKGS				
OnCall 24x7 1-year OnCall 24x7 3-year	PMB0312 PMB0332	PMB0313 PMB0333	PMB0313 PMB0333	PMB0314 PMB0334

^{*}RAID 50 and RAID 60 are available with OS6.7 and above

^{*}RAID 50 and RAID 60 are available with OS6.7 and above

ReadyNAS

Rackmount



^{*}RAID 50 and RAID 60 are available with OS6.7 and above


Midmarket Solutions

Backup to Disk

Tape based storage solutions are slow to store data, and slow to recover data that's been stored previously. Across the IT landscape, disk storage has steadily replaced tape, as hard-drive capacity grows and prices drop. As disk emerges as the leader in both price and performance, it's time for small and midsize businesses to take advantage of the reliability, performance, and economy of disk-based backup and recovery.

NETGEAR products can help you build solutions like:

- Backups that are significantly more reliable than tape alternatives
- Storage with greater starting capacity and the ability to expand on the fly
- Easy and consistent backup process with virtually no learning curve
- Systems optimized for supporting virtualized environments
- Automated backups that require little ongoing management



18


Midmarket Solutions


Virtualization

Gartner reports that midmarket adoption for virtualization is growing even faster than expected. Smart virtualization projects can make applications more reliable, leverage existing networks and don't have to cost a fortune.

NETGEAR products can help you build solutions like:

- Primary shared storage platforms in small or remote offices
- Secondary storage for backup and replication in existing virtualization environments
 10-Gigabit connectivity with managed or smart switches, stacked for reliability
- Securing physical and virtual machines from network threats
- Next Business Day Service and extended warranties covering all infrastructure components





SUPPORT

ProSUPPORT for Business

COMPREHENSIVE SUPPORT PLANS FOR MAXIMUM NETWORK UPTIME AND BUSINESS PEACE OF MIND

- 24/7 live technical support and consultation
- Direct, scheduled access to product experts to help in configuration
- Extended HW/SW Warranty coverage with NBD parts replacement

More Than Just Support — A Business Partnership

The NETGEAR ProSUPPORT for Business offerings provide you with peace of mind by extending and enhancing the standard warranty or support coverage included with your product purchase. With ProSUPPORT, you get 24/7 direct access to NETGEAR technical support engineers who can rapidly resolve technical issues both big and small. Connect with the people that have built your products and build the relationship that will contribute to your business success.

OnCall 24x7 Tech Support

NETGEAR extends your initial 90-day technical support with the OnCall 24x7 Tech Support package. OnCall 24x7 services are conducted by phone, chat and email, to solve any of your technical challenges. In addition, NETGEAR will proactively send you alerts about any newly released firmware updates to make sure that you are able to plan in advance, download and upgrade at your earliest convenience.

Professional Configuration and Setup Assistance

Schedule an appointment for a live consultation by an expert to configure, set up or re-configure your device. This allows you the quickest time to deployment, optimizes accuracy in product deployment, minimizes downtime and maximizes the performance of the device.

Extended Warranty with Next Business Day Replacement

Once your warranty expires, ProSUPPORT for Business provides you with an extended warranty ensuring that if you have any issues with your device, it will be replaced by the same (or a newer) device. Next Business Day product replacement is also included to ensure that your business is back up and running in the shortest time.

		Premi	um		
	Warranty 90-day *Limited Lifetime Hardware FREE ProSAFE Online & Software Technical Support Technical Support		ProSUPPORT OnCall 24x7 Technical Support	ProSUPPORT Extended Hardware Warranty	
Products Covered	ALL NETGEAR Business Products	ALL NETGEAR Business Products	Select NETGEAR Business Switches	All NETGEAR Business Products Paid Support Package Varies by Products	Select NETGEAR Business Products
Hardware Replacement	YES Next Business Day	N/A	N/A	N/A	YES Next Business Day
Software Feature Updates	YES	YES	YES	YES	YES
Support by Email	N/A	YES	YES	YES	N/A
Support by Chat	N/A	YES	YES	YES	N/A
Support by Phone	N/A	YES	N/A	YES	N/A

^{*}This product comes with a limited warranty that is valid only if purchased from a NETGEAR authorized reseller, and covers unmodified hardware, fans and internal power supplies—not soware or external power supplies, and requires product registration at https://www.netgear.com/business/registration within 90 days of purchase; see https://www.netgear.com/about/warranty for details.

NETGEAR ProSUPPORT

ProSUPPORT SKU

Services	ProSUPPORT Category	ProSUPPORT Part Number	Contract
OnCall 24x7	ProSUPPORT Category S1	PMB0S11-10000S PMB0S31-10000S PMB0S51-10000S	1 yr 3 yr 5 yr
	ProSUPPORT Category S2	PMB0S12-10000S PMB0S32-10000S PMB0S52-20000S	1 yr 3 yr 5 yr
	ProSUPPORT Category 1	PMB0311-10000S PMB0331-10000S PMB0351-10000S	1 yr 3 yr 5 yr
	ProSUPPORT Category 2	PMB0312-10000S PMB0332-10000S PMB0352-10000S	1 yr 3 yr 5 yr
	ProSUPPORT Category 3	PMB0313-10000S PMB0333-10000S PMB0353-10000S	1 yr 3 yr 5 yr
	ProSUPPORT Category 4	PMB0314-10000S PMB0334-10000S PMB0354-10000S	1 yr 3 yr 5 yr
Professional Setup and Configuration (Remote)	2-hour consultation, 48-hour advance appointment	PSB0304-10000S	

Availability by Product

Category	Product Family	Hardware Warranty	90-Day Free Support	*Limited Lifetime Online Tech Support	ProSUPPORT Category
Insight Managed Smart Cloud Switches	GC110	5 Yr	Υ	N	Category S2
	GC110P	5 Yr	Υ	N	Category S2
	GC510P	5 Yr	Υ	N	Category S2
	GC510PP	5 Yr	Υ	N	Category S2
	GC728X	5 Yr	Υ	N	Category 1
	GC728XP	5 Yr	Υ	N	Category 1
	GC752X	5 Yr	Υ	N	Category 2
	GC752XP	5 Yr	Υ	N	Category 2
Fully Managed Switches	FSM752P	Lifetime	Υ	N	Category 2
	FSM7326PNA	Lifetime	Υ	N	Category 2
	GSM4210P	Lifetime	Υ	Υ	Category 2
	GSM4328PA	Lifetime	Υ	Υ	Category 3
	GSM4328PB	Lifetime	Υ	Υ	Category 3
	GSM4328S	Lifetime	Υ	Υ	Category 3
	GSM4352PA	Lifetime	Υ	Υ	Category 3
	GSM4352PB	Lifetime	Υ	Υ	Category 3
	GSM4352S	Lifetime	Υ	Υ	Category 3
	GSM5212	Lifetime	Υ	Υ	Category 2
	GSM5212P	Lifetime	Υ	Υ	Category 2
	GSM7212F	Lifetime	Υ	Υ	Category 2
	GSM7224	Lifetime	Υ	Υ	Category 2
	GSM7224P	Lifetime	Υ	Υ	Category 2
	GSM7226LP	Lifetime	Υ	Υ	Category 2
	GSM7228PS	Lifetime	Y	Y	Category 3
	GSM7228S	Lifetime	Υ	Υ	Category 3
	GSM7248	Lifetime	Υ	Υ	Category 2

NETGEAR ProSUPPORT

Availability by Product (continued)

Category	Product Family	Hardware Warranty	90-Day Free Support	* Limited Lifetime Online Tech Support	ProSUPPORT Category
Fully Managed Switches	GSM7248P	Lifetime	Υ	Υ	Category 2
	GSM7252PS	Lifetime	Υ	Υ	Category 3
	GSM7252S	Lifetime	Υ	Υ	Category 3
	GSM7328FS	Lifetime	Υ	Υ	Category 3
	GSM7328S	Lifetime	Υ	Υ	Category 3
	GSM7352S	Lifetime	Υ	Υ	Category 3
	XSM4316S	Lifetime	Υ	Υ	Category 3
	XSM4324CS	Lifetime	Υ	Υ	Category 3
	XSM4324S	Lifetime	Υ	Υ	Category 3
	XSM4348CS	Lifetime	Υ	Υ	Category 3
	XSM4348S	Lifetime	Υ	Υ	Category 3
	XSM4396K0	Lifetime	Υ	Υ	Category 4
	XSM4396K1	Lifetime	Υ	Υ	Category 4
Fully Managed Switches, Chassis	XCM8903SF	Lifetime	Υ	Υ	Category 4
	XCM8903SK	Lifetime	Υ	Υ	Category 4
	XCM8903SX	Lifetime	Y	Υ	Category 4
Stackable Smart Managed Pro Switch	GS752TSB	*Limited Lifetime	Υ	Υ	Category 2
Bundles	GS752TPSB	*Limited Lifetime	Y	Υ	Category 2
Stackable Smart Managed Pro Switches	GS728TX	*Limited Lifetime	Υ	Υ	Category 2
	GS728TXP	*Limited Lifetime	Υ	Υ	Category 2
	GS752TX	*Limited Lifetime	Υ	Υ	Category 2
	GS752TXP	*Limited Lifetime	Y	Υ	Category 3
	GS752TXS	*Limited Lifetime	Υ	Υ	Category 3
Smart Managed Pro Switches	FS728TLP	*Limited Lifetime	Y	N	Category 1
	FS728TP	*Limited Lifetime	Y	N	Category 1
	GS108T	*Limited Lifetime	Y	Υ	Category S1
	GS110TP	*Limited Lifetime	Y	Y	Category S2
ļ	GS308T	5 Yr	Y	N	Category S1
	GS310TP	5 Yr	Υ	N	Category S2
	GS324T	5 Yr	Y	N	Category S2
	GS324TP	5 Yr	Y	N	Category 1
	GS348T	5 Yr	Y	N	Category 1
	GS418TPP	*Limited Lifetime	Y	Y	Category 1
	GS510TLP	*Limited Lifetime	Y	Y	Category S2
	GS510TP	*Limited Lifetime	Y	Y	Category 1
	GS510TPP	*Limited Lifetime	Y	Υ	Category 1
	GS516TP	*Limited Lifetime	Y	Y	Category 1
	GS716T	*Limited Lifetime	Y	Y	Category S2
	GS724TP	*Limited Lifetime	Y	Y	Category 1
	GS724TP	*Limited Lifetime	Y	Y	Category 1
	GS728TP	*Limited Lifetime	Y	Y	Category 1
	GS728TPP	*Limited Lifetime	Y	Y	Category 1
	GS748T	*Limited Lifetime		Y	Category 1
	GS752TP	*Limited Lifetime	Y	Y	Catagory 2
	GS752TPP	*Limited Lifetime	Y	Y	Category 2
	MS510TX	*Limited Lifetime	Y	Y	Category 2
	MS510TXPP	*Limited Lifetime	Y	Y	Category 2
	XS708T VS712T	*Limited Lifetime *Limited Lifetime	Y	Y	Category 1
	XS712T	 	Y	Y	Category 2
	XS716T XS728T	*Limited Lifetime *Limited Lifetime	Y	Y	Category 2
	XS748T	*Limited Lifetime	Y	Υ	Category 2 Category 3
23	75/401	Limited Elletime	<u> </u>	1	Category 3

NETGEAR ProSUPPORT

Availability by Product (continued)

Category	Product	Hardware	90-Day Free	* Limited Lifetime	ProSUPPORT
	Family	Warranty	Support	Online Tech	Category
			1 1	Support	<i>y</i>
Smart Managed Plus Switches	GS105E	*Limited Lifetime	Y	Y	Category S1
J.	GS105PE	*Limited Lifetime	Υ	Υ	Category S1
	GS108E	*Limited Lifetime	Υ	Υ	Category S1
	GS108PE	*Limited Lifetime	Υ	Υ	Category S1
	GS110EMX	*Limited Lifetime	Υ	Υ	Category S2
	GS116E	*Limited Lifetime	Υ	Υ	Category S2
	GS750E	*Limited Lifetime	Υ	Υ	Category 1
	GS908E	3 Yr	Υ	N	Category S1
	JGS516PE	*Limited Lifetime	Υ	Υ	Category S2
	JGS524E	*Limited Lifetime	Y	Υ	Category S2
	JGS524PE	*Limited Lifetime	Υ	Υ	Category S2
	XS512EM	*Limited Lifetime	Υ	Υ	Category 2
	XS708E	*Limited Lifetime	Υ	Υ	Category 1
	XS716E	*Limited Lifetime	Υ	Υ	Category 2
	XS724EM	*Limited Lifetime	Υ	Υ	Category 2
Smart Managed Plus Click Switches	GSS108E	*Limited Lifetime	Υ	Υ	Category S1
	GSS108EPP	*Limited Lifetime	Υ	Υ	Category S2
	GSS116E	*Limited Lifetime	Υ	Υ	Category S2
Easy-Mount Smart Managed Plus Switches	GS408EPP	*Limited Lifetime	Υ	Υ	Category S2
Unmanaged Switch	FS105	*Limited Lifetime	Υ	Υ	Category S1
	FS108	*Limited Lifetime	Υ	Υ	Category S1
	FS108P	*Limited Lifetime	Υ	Υ	Category S1
	FS116	*Limited Lifetime	Υ	Υ	Category S1
	F116P	*Limited Lifetime	Υ	Υ	Category S1
	GS105NA	*Limited Lifetime	Υ	Υ	Category S1
	GS108	*Limited Lifetime	Υ	Υ	Category S1
	GS108LP	*Limited Lifetime	Υ	Υ	Category S2
	GS108PP	*Limited Lifetime	Υ	Υ	Category S2
	GS110MX	*Limited Lifetime	Υ	Υ	Category S2
	GS116LP	*Limited Lifetime	Υ	Υ	Category S2
	GS116NA	*Limited Lifetime	Υ	Υ	Category S2
	GS116PP	*Limited Lifetime	Υ	Υ	Category S2
	GS305	3 Yr	Υ	N	Category S1
	GS305P	3 Yr	Υ	N	Category S1
	GS308	3 Yr	Υ	N	Category S1
	GS308P	3 Yr	Y	N	Category S1
	GS316	3 Yr	Y	N	Category S2
	GS324	3 Yr	Y	N	Category S2
	GS348	3 Yr	Y	N	Category S2
	GS908	3 Yr	Y	N	Category S1
	JFS524	*Limited Lifetime	Y	Υ	Category S2
	JGS516NA	*Limited Lifetime	Y	Υ	Category S2
	JGS524NA	*Limited Lifetime	Y	Υ	Category S2
	XS505M	*Limited Lifetime	Y	Υ	Category 1
	XS508M	*Limited Lifetime	Y	Υ	Category 1
Nighthawk Gaming & Streaming Advanced Ethernet Switches	GS808E	3 Yr	Y	N	Category S2
Nighthawk Pro Gaming Advanced Ethernet Switches	GS810EMX	3 Yr	Y	N	Category 1

NETGEAR ProSUPPORT

Availability by Product (continued)

Category	Product Family	Hardware Warranty	90-Day Free Support	*Limited Lifetime Online Tech Support	ProSUPPO Category
ReadyNAS Desktop	RN212	5 Yr	Y	Ν	Category 2
	RN214	5 Yr	Y	Ν	Category 2
	RN312	5 Yr	Υ	N	Category 2
	RN314	5 Yr	Υ	Ν	Category 2
	RN316	5 Yr	Υ	N	Category 2
	RN422	5 Yr	Υ	N	Category 2
	RN424	5 Yr	Υ	N	Category 2
	RN426	5 Yr	Υ	N	Category 3
	RN428	5 Yr	Υ	N	Category 3
	RN524X	5 Yr	Υ	N	Category 3
	RN526X	5 Yr	Υ	N	Category 3
	RN528X	5 Yr	Y	N	Category 3
	RN626X	5 Yr	Y	N	Category 3
	RN628X	5 Yr	Y	N	Category 3
ReadyNAS Rackmount	RR2304	5 Yr	Y	N	Category 2
	RR2312	5 Yr	Y	N N	Category 2
		!	Y		
	RN3138	5 Yr		N	Category 3
	RR3312	5 Yr	Y	N	Category 4
	RR4312X	5 Yr	Y	N	Category 4
	RR4360X	5 Yr	Y	N	Category 4
ReadyNAS Expansion Chassis	EDA4000	5 Yr	N	N	Category ²
WiFi Systems - Orbi	RBS50Y	5 Yr	Υ	Υ	Category S
	SRK60	5 Yr	Υ	Υ	Category 1
	SRR60	5 Yr	Υ	Υ	Category 1
	SRS60	5 Yr	Y	Υ	Category 1
	SRC60	5 Yr	Υ	Υ	Category 1
Wireless 802.11ac Access Points	WAC104	3 Yr	Υ	N	Category S
	WAC120	3 Yr	Υ	N	Category S
	WAC124	3 Yr	Υ	N	Category S
	WAC505	5 Yr	Υ	N	Category S
	WAC510	5 Yr	Υ	N	Category S
	WAC540	5 Yr	Y	N	Category1
	WAC720	*Limited Lifetime	Y	Y	Category 1
	WAC730	*Limited Lifetime	Y	Y	Category 1
	WAC740	*Limited Lifetime	Y	Y	Category 1
Wireless Access Points	WNAP210	*Limited Lifetime	Y	Y	Category S
	WNAP320	*Limited Lifetime	Y	Y	Category 3
		 	Y	Y	
	WND930	*Limited Lifetime	Y	Y	Category 1
	WNDAP330	*Limited Lifetime			Category 1
	WNDAP350	*Limited Lifetime	Y	Y	Category 1
	WNDAP360	*Limited Lifetime	Y	Y	Category 1
	WNDAP620	*Limited Lifetime	Y	Υ	Category 1
	WNDAP660	*Limited Lifetime	Y	Υ	Category 1
	WNSKT350	*Limited Lifetime	Y	Y	Category 1
Wireless Management Systems	WC7520	*Limited Lifetime	Y	Υ	Category 1
	WC7520SKT	*Limited Lifetime	Υ	Υ	Category 1
VPN Firewalls and Routers	FVS318G	*Limited Lifetime	Y	Υ	Category 1
	FVS318N	*Limited Lifetime	Υ	Υ	Category 1
	FVS318NA	*Limited Lifetime	Υ	Υ	Category 1
	FVS336G	*Limited Lifetime	Y	Y	Category 1
	SRX5308	*Limited Lifetime	Y	Y	Category 1
	BR500	5 Yr	Y	N	Category 1